

**DEVELOPMENT AND VALIDATION OF ANALYTICAL METHODS
FOR SIMULTANEOUS ESTIMATION OF BUPROPION AND
NALTREXONE IN COMBINATION**

Prepared By
PRIYANKA GOPALBHAI PATEL
ENROLLMENT NO: 132140804503

Supervised By
Mr. STAVAN MASTER M.pharm
ASSISTANT PROFESSOR,
DEPARTMENT OF QUALITY ASSURANCE

A THESIS SUBMITTED TO
GUJARAT TECHNOLOGICAL UNIVERSITY
IN PARTIAL FULFILMENT OF THE REQUIREMENTS FOR
THE DEGREE OF PHARMACY IN
“MASTER OF PHARMACY”
IN
Quality Assurance

APRIL 2015



PARUL INSTITUTE OF PHARMACY AND RESEARCH
PO: Limda, Ta. Waghodia, Dist. Vadodara – 391 760
Website: www.parul.ac.in, E-mail: parulpharmacy@yahoo.com

**DEVELOPMENT AND VALIDATION OF ANALYTICAL METHODS
FOR SIMULTANEOUS ESTIMATION OF BUPROPION AND
NALTREXONE IN COMBINATION**

Submitted By
Ms. PRIYANKA G. PATEL

Supervised By
Mr. STAVAN MASTER
M.Pharm, Assistant Professor,
Department of Quality Assurance

**Parul Institute of Pharmacy and Research,
Limda, Vadodara**

ABSTRACT

A simple, accurate, and precise UV spectroscopy and RP-HPLC methods were developed and validated for simultaneous estimation of Bupropion and Naltrexone in Combination.

UV spectrophotometric method has been developed using Water as a solvent in First Order Derivative method determination was carried out at 262.33 nm λ_{\max} ZCP of Naltrexone and 227.19nm λ_{\max} ZCP of Bupropion. The calibration curves were linear 10-60 $\mu\text{g/ml}$ and 1-6 $\mu\text{g/ml}$ for Bupropion and Naltrexone at their respective wavelength. Both the drugs were found in good agreement with the label claimed in the marketed formulation. In Combination both the drugs were estimated as 98.6% and 99.4% Bupropion and Naltrexone respectively.

The RP-HPLC method has shown adequate separation of Bupropion and Naltrexone in Combination. The separation was achieved on a Phenomenex luna ODS C18 (250mm X 4.6 mm i.d., 5 μ m particle size) with an gradient system of Buffer(pH 3.5) :Methanol in the ratio of (70:30% v/v). The mobile phase at a flow rate of 1.0 ml/min, injection volume 20 μ l and wavelength of detection used was 238nm. The retention time for Bupropion and Naltrexone was obtained as 7.060 \pm 0.05min and 2.550 \pm 0.1min respectively. The linearity of method was investigated in the range of 22.5-78.75 μ g/ml and 2-7 μ g/ml for Bupropion and Naltrexone respectively. R² was 0.9991 and 0.9991 for Bupropion and Naltrexone respectively. The developed method was validated as per ICH guideline, for its accuracy, precision, LOD & LOQ and the results were found to be satisfactory, thus the method is rapid and simple for estimation of Bupropion and Naltrexone.

Key words: Bupropion, Naltrexone, First Order Derivative Method, RP-HPLC, Validation.