

**“AN OBSERVATIONAL STUDY OF ETIOPATHOGENESIS OF
PANDUROGA W.S.R. TO IRON DEFICIENCY ANAEMIA”**



Dissertation submitted as partial fulfillment for the degree of

Ayurved Vachaspati

[Doctor of Medicine – Ayurved]

Specialty – Rog Nidan Evam Vikriti Vigyan

Scholar

NILAM P. RATHOD

Under the supervision of

Guide

Dr. Kirtiprakash Upadhyay

M.D.(Ayu)

Professor, Department of Rog Nidan Evum Vikriti Vigyan

Co - Guide

Dr. Ketki Arun Aurangabadkar

M.D.(Ayu), M.A. (Sanskrit), D.Y.A.

Assistant Professor, Department of Rog Nidan Evam Vikriti Vigyan

Department of Rog Nidan Evam Vikriti Vigyan

Parul Institute of Ayurved

Parul University, Limda, Vadodara, Gujarat-391760 (India).

March- 2018

Enrollment No: 150202209006

ABSTRACT

AN OBSERVATIONAL STUDY OF ETIOPATHOGENESIS OF *PANDU ROGA* W.S.R. TO IRON DEFICIENCY ANAEMIA

Aims and Objectives:

- To study an etiopathogenesis of “*Pandu Roga*” in the light of the description in Modern Medicine for iron deficiency Anemia.
- To assess iron deficiency anemia with the help of clinical history, signs and symptoms and laboratory investigation.
- To compare the causative factors and pathogenesis of iron deficiency anemia with reference to *Pandu Roga* and its subtypes on the basis of *Nidan* and *Lakshana*.

Design : Observational study

Setting : Parul Ayurved Hospital, Limda, Vadodara, Gujarat.

Study selection: Patients with classical signs and symptoms of Iron Deficiency Anemia were selected.

Main observations:

Observational: We studied etiopathogenesis in patients of Iron deficiency anemia to compare with *Pandu Roga* and its subtypes.

Statistical Study: Demographical data were used.

Conclusion:

From this study we can conclude that there is Relation between etiopathogenesis of iron deficiency anemia and *Pandu Roga*.

Keywords: Etiopathogenesis, *Pandu Roga*, , Iron deficiency anemia

